## (19) World Intellectual Property Organization International Bureau





### (43) International Publication Date 10 October 2002 (10.10.2002)

### **PCT**

# (10) International Publication Number WO 02/078521 A3

(51) International Patent Classification7: A61B 8/14, 17/36

(21) International Application Number: PCT/US02/09548

(22) International Filing Date: 28 March 2002 (28.03.2002)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 60/279,477

28 March 2001 (28.03.2001) US

(71) Applicant (for all designated States except US): VASCU-LAR CONTROL SYSTEMS, INC. [US/US]; Suite E, 32236 Paseo Adelanto, San Juan Capistrano, CA 92675 (US).


(72) Inventors; and

(75) Inventors/Applicants (for US only): BURBANK, Fred [US/US]; 12 Old Ranch Road, Laguna Niguel, CA 92677 (US). ALTIERI, Grieg, E. [US/US]; 1102 Temple Hills Drive, Laguna Beach, CA 92651 (US). JONES, Michael, L. [US/US]; 6332 Camino Marinero, San Clemente, CA 92673 (US).

- (74) Agent: LYNCH, Edward, J.; Coudert Brothers LLP, 600 Beach Street, 3rd Floor, San Francisco, CA 94109 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: DEVICE FOR UTERINE COMPRESSION



(57) Abstract: A compressor (100) compressing one or both of the uterine arteries of a patient which is at least n part shaped to complement the shape of the exterior of the cervix, which allows the system to be self-positioning. One or more Doppler chips (214i, 216i) can be mounted or incorporated into the compressor (100) which permit the practitioner to better identify the uterine artery and monitor blood flow therein. The compressor (100) includes a pair of pivotally joined elements which can be moved toward and away from the cervix to compress a uterine artery.

VO 02/078521

## (19) World Intellectual Property Organization International Bureau





(43) International Publication Date 10 October 2002 (10.10.2002)

PCT

English

# (10) International Publication Number WO 02/078521 A3

(51) International Patent Classification7: A61B 8/14, 17/36

(21) International Application Number: PCT/US02/09548

(22) International Filing Date: 28 March 2002 (28.03.2002)

(25) Filing Language: English

\_

.

(30) Priority Data: 60/279,477 28 March 2001 (28.03.2001) US

(71) Applicant (for all designated States except US): VASCU-LAR CONTROL SYSTEMS, INC. [US/US]; Suite E, 32236 Paseo Adelanto, San Juan Capistrano, CA 92675 (US).

(72) Inventors; and


(26) Publication Language:

(75) Inventors/Applicants (for US only): BURBANK, Fred [US/US]; 12 Old Ranch Road, Laguna Niguel, CA 92677 (US). ALTIERI, Grieg, E. [US/US]; 1102 Temple Hills Drive, Laguna Beach, CA 92651 (US). JONES, Michael, L. [US/US]; 6332 Camino Marinero, San Clemente, CA 92673 (US).

- (74) Agent: LYNCH, Edward, J.; Coudert Brothers LLP, 600 Beach Street, 3rd Floor, San Francisco, CA 94109 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: DEVICE FOR UTERINE COMPRESSION



(57) Abstract: A compressor (100) compressing one or both of the uterine arteries of a patient which is at least n part shaped to complement the shape of the exterior of the cervix, which allows the system to be self-positioning. One or more Doppler chips (214i, 216i) can be mounted or incorporated into the compressor (100) which permit the practitioner to better identify the uterine artery and monitor blood flow therein. The compressor (100) includes a pair of pivotally joined elements which can be moved toward and away from the cervix to compress a uterine artery.

02/078521 A3

### INTERNATIONAL SEARCH REPORT

International application No.
PCT/US02/09548

	SIFICATION OF SUBJECT MATTER		•	
IPC(7) : A61B 8/14, 17/36				
US CL : 600/461; 606/205				
According to International Patent Classification (IPC) or to both national classification and IPC				
B. FIELDS SEARCHED				
Minimum documentation searched (classification system followed by classification symbols)				
U.S. : 60	00/407-595; 606/41, 45, 46, 151, 158, 205; 128/898			
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched				
NPL				
			ibl	unt samma waad\
Electronic dat	ta base consulted during the international search (name	or data base and, wil	ere practicable, seal	Cil ternis useu)
EAST 1.3: compression, occlusion, artery, uterine, doppler				
C. DOCUMENTS CONSIDERED TO BE RELEVANT				
				Relevant to claim No.
Category *	US 6,066,139 A (Ryan et al.) 23 May 2000 (23.05.2000), entire document.			1-69
Y	US 6,066,139 A (Ryan et al.) 23 May 2000 (23.03.2000), entire document.			
	US 5,979,453 A (Savage et al.) 09 November 1999 (09.11.1999), entire document.			1-69
Y	05 5,9/9,453 A (Savage et al.) 09 November 1995 (	09.11.1999), Cimic C	ocument.	'"
		•		
	·			
				1
			•	
		÷		
•				·
ĺ				
Further documents are listed in the continuation of Box C. See patent family annex.				
Special categories of cited documents: "T" later document published after the international filing date or pric				
		date and no	t in conflict with the appli	cation but cited to understand the
"A" documen	defining the general state of the art which is not considered to be	principle or	theory underlying the inv	ention
of partici	ular relevance			claimed invention cannot be
"E" earlier at	pplication or patent published on or after the international filing date		novel or cannot be considence ocument is taken alone	ered to involve an inventive step
#1 * documen	which may throw doubts on priority claim(s) or which is cited to			
establish	the publication date of another citation or other special reason (as	"Y" document o	f particular relevance; the	claimed invention cannot be
specified		considered to involve an inventive step when the document is combined with one or more other such documents, such combination		
"O" document referring to an oral disclosure, use, exhibition or other means being obvious to a person skilled in the art				
"P" document published prior to the international filing date but later than the "&" document member of the same patent family				
priority date claimed				
Date of the actual completion of the international search  Date of mailing of the international search  ()  Date of mailing of the international search  ()				
24 February 2003 (24.02.2003)  Name and mailing address of the ISA/US  Authorised Officer				
Name and maning address of trademarks				
Box PCT All (marg)				
Washington, D.C. 20231  Feesimile No. (703)305-3230  Telephone No. 703-308-1148				
I Facsimile No	o. (703)305-3230	1 - c.ch		

Form PCT/ISA/210 (second sheet) (July 1998)





Français 2 of 2

### Images Description and Claims (92 Kb)

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(11) WO 02/078521

(13) A2

(21) PCT/US02/09548

(22) 28 March 2002 (28.03.2002)

(25) English

(26) English

**(30)** 60/279,477

28 March 2001

US

(28.03.2001)

(43) 10 October 2002 (10.10.2002)


 $(51)^7 A61B$ 

- (54) MULTI-AXIAL UTERINE ARTERY IDENTIFICATION, CHARACTERIZATION, AND OCCLUSION PIVOTING DEVICES AND METHODS
- (71) VASCULAR CONTROL SYSTEMS, INC. [US/US]; Suite E, 32236 Paseo Adelanto, San Juan Capistrano, CA 92675 (US).
- (72) BURBANK, Fred [US/US]; 12 Old Ranch Road, Laguna Niguel, CA 92677
- (75) (US). ALTIERI, Grieg, E. [US/US]; 1102 Temple Hills Drive, Laguna Beach, CA 92651 (US). JONES, Michael, L. [US/US]; 6332 Camino Marinero, San Clemente, CA 92673 (US).
- (74) LYNCH, Edward, J.; Coudert Brothers LLP, 600 Beach Street, 3rd Floor, San Francisco, CA 94109 (US).
- (81) AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW
- (84) ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

For information on time limits for entry into the national phase please click here

#### **Published**

- without international search report and to be republished upon receipt of that report
- (57) A system is provided for compressing one or both of the uterine arteries of a patient which is at least n part shaped to complement the shape of the exterior of



the cervix, which allows the system to be self-positioning. One or more Doppler chips can be mounted or incorporated into the system which permit the practitioner to better identify the uterine artery and monitor blood flow therein. The system includes a pair of pivotally joined elements which can be moved toward and away from the cervix to compress a uterine artery.






Français 2 of 2

## (19) World Intellectual Property Organization International Bureau





### (43) International Publication Date 10 October 2002 (10.10.2002)

### PCT

# (10) International Publication Number WO 02/078521 A2

(51) International Patent Classification7:

A61B

(21) International Application Number: PCT/US02/09548

(22) International Filing Date: 28 March 2002 (28.03.2002)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/279,477

28 March 2001 (28.03.2001) US

(71) Applicant (for all designated States except US): VASCU-LAR CONTROL SYSTEMS, INC. [US/US]; Suite E, 32236 Paseo Adelanto, San Juan Capistrano, CA 92675 (US).


(72) Inventors; and

(75) Inventors/Applicants (for US only): BURBANK, Fred [US/US]; 12 Old Ranch Road, Laguna Niguel, CA 92677 (US). ALTIERI, Grieg, E. [US/US]; 1102 Temple Hills Drive, Laguna Beach, CA 92651 (US). JONES, Michael, L. [US/US]; 6332 Camino Marinero, San Clemente, CA 92673 (US).

- (74) Agent: LYNCH, Edward, J.; Coudert Brothers LLP, 600 Beach Street, 3rd Floor, San Francisco, CA 94109 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: MULTI-AXIAL UTERINE ARTERY IDENTIFICATION, CHARACTERIZATION, AND OCCLUSION PIVOTING DEVICES AND METHODS



(57) Abstract: A system is provided for compressing one or both of the uterine arteries of a patient which is at least n part shaped to complement the shape of the exterior of the cervix, which allows the system to be self-positioning. One or more Doppler chips can be mounted or incorporated into the system which permit the practitioner to better identify the uterine artery and monitor blood flow therein. The system includes a pair of pivotally joined elements which can be moved toward and away from the cervix to compress a uterine artery.

02/078521 A2

WO 02/078521 PCT/US02/09548

### MULTI-AXIAL UTERINE ARTERY IDENTIFICATION, CHARACTERIZATION, AND OCCLUSION PIVOTING DEVICES AND METHODS

[0001] This application is related and claims priority under 35 U.S.C. § 119 to U.S. provisional patent application serial number 60/279,477, filed March 28, 2001, the entire contents of which are incorporated by reference herein. This application is also related to an application filed on even date herewith entitled "Multi-axial uterine artery identification, characterization, and occlusion devices and methods", by Fred Burbank, Grieg E. Altieri, and Michael L. Jones, attorney docket number 0281-0001, the entire contents of which are incorporated by reference herein.

#### BACKGROUND OF THE INVENTION

#### Field of the Invention

[0002] The present invention relates to devices, systems, and processes useful for compressing a uterine artery, and more particularly to devices and systems capable of easily locating, compressing, and/or monitoring or characterizing the blood flow through a uterine artery.

#### Brief Description of the Related Art

[0003] It has been proposed that occlusion of the uterine arteries of a human female patient can kill myomata, i.e., fibroids, because of the relative frailty of the fibroids to anoxia or hypoxia, and the relatively high resistance of uterine tissues to anoxia or hypoxia. See Burbank, Fred, M.D., et al, Uterine Artery Occlusion by Embolization or Surgery for the Treatment of Fibroids: A Unifying Hypothesis-Transient Uterine Ischemia, The Journal of the American Association of Gynecologic Laparoscopists, November 2000, Vol. 7, No. 4 Supplement, pp. S3-S49. U.S. Patent No. 6,254,601, to Fred Burbank et al, entitled "Methods for Occlusion of the Uterine Arteries", describes numerous devices and methods useful for occluding a uterine

WO 02/078521 PCT/US02/09548

#### WHAT IS CLAIMED IS:

distal end face.

1. A device useful for compressing a uterine artery of a patient comprising:

a handle having a proximal end and a distal end; and

a compressing portion mounted to the handle distal end, the compressing portion having a distal end face and a side surface.

2. A device in accordance with Claim 1, wherein the compressing portion is a first compressing portion, and further comprising a second compressing portion spaced apart from the first compressing portion; and

wherein the handle is connected to at least one of the two compressing portions.

- 3. A device in accordance with Claim 2, further comprising: at least one Doppler crystal mounted in the compressing portion, the at least one Doppler crystal having a direction of view away from the compressing portion
- 4. A device in accordance with Claim 2, wherein the at least one Doppler crystal is releasably mounted in the distal compressing portion.
- 5. A device in accordance with Claim 2, wherein the at least one Doppler crystal is integrally formed in the distal compressing portion.
- 6. A device in accordance with Claim 2, wherein the at least one Doppler crystal comprises a plurality of Doppler crystals mounted in the compressing portion.

1/6




FIG. 1




FIG. 2

**SUBSTITUTE SHEET (RULE 26)**